

LEVEL II

MOST-Project -4

COPY 37 OF 100 COPIES

Good B. Sec - File

(14) USL-TM-1150-27-57

USL Problem No. DM2

U. S. Navy Underwater Sound Laboratory
Portsmouth, New London, Connecticut

(4)

(6) MAXIMUM POWER OUTPUT OF FIELD-LIMITED TRANSDUCER ELEMENTS.

by

(10) R. S. Woollett

USL Technical Memorandum No. 1150-27-57

21 May 1957

DDC
RECEIVED
JUL 16 1979
F

(11) 21 May 57

(12) 7p.


The following notes are published to illustrate methods currently in use for estimating the power output of transducer elements when the power is limited by the practically achievable electric or magnetic alternating field intensity. Where no units are given, rationalized mks units are assumed.

Definitions and Assumptions


(9) Technical memo.

This analysis is based on the use of the equivalent circuits shown below. Electromagnetic dissipation is neglected. The circuits describe only a single mode of vibration of the transducer element.

Electric-Field Transducer



Magnetic-Field Transducer



C_b = blocked capacity
 C_y = motional capacity
 L_y = " inductance
 R_y = " resistance

L_b = blocked inductance
 L_z = motional inductance
 C_z = " capacity
 R_z = " resistance

Effective electromechanical coupling coefficient - k

$$k^2 = \frac{C_y}{C_b + C_y}$$

$$k^2 = \frac{L_z}{L_b + L_z}$$

Encl 3 to USNUSL Ser 963-352

254 200

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited.

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited.

TO BE CONTAINED A
SIGNIFICANT NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.

DISCLAIMER NOTICE

**THIS DOCUMENT IS BEST QUALITY
PRACTICABLE. THE COPY FURNISHED
TO DTIC CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.**

Resonant frequency - $\omega_r = \omega_0/2\pi$

$$\omega_r^2 = \frac{1}{L_r C_r}$$

$$\omega_r^2 = \frac{1}{L_z C_z}$$

Mechanical storage factor - Q_M

$$Q_M = \frac{1}{\omega_r C_r R_r}$$

$$Q_M = \frac{R_z}{\omega_r L_z}$$

Electromagnetic stored energy (under quasi-static conditions) - U_e

$$U_e = \frac{1}{2} e^2 (C_b + C_r)$$

$$U_e = \frac{1}{2} i^2 (L_b + L_z)$$

(U_e does not include the electromagnetic energy stored in the polarizing field for those transducers which require polarization, or bias. e and i are the variational part of the voltage and current and do not include the polarizing voltage or current.)

Mechanical Power at Resonance

The relation between the mechanical power at resonance and the input voltage or current can be given in terms of the parameters defined above as follows:

Electric-Field Transducer

Magnetic Field Transducer

$$P_M = \frac{1}{2} e^2 / R_r$$

$$P_M = \frac{1}{2} i^2 R_z$$

$$= \frac{1}{2} e^2 (C_b + C_r) \omega_r k^2 Q_M$$

$$= \frac{1}{2} i^2 (L_b + L_z) \omega_r k^2 Q_M$$

For both types of transducers:

$$P_M = \omega_r k^2 Q_M U_e$$

Maximum Power for Field-Limited Transducer

The equations developed above are based on linear transducer theory. They will now be used to calculate power for the large-signal case, where non-linearity is unquestionably present. This is a highly approximate procedure, but the results serve as a useful guide for most transducer designs.

For pulse applications, where heating is not a problem, the maximum driving field that may practically be employed is determined by such limits as breakdown of the dielectric or magnetizing coil, depolarization of the material for transducers operating at resonance, distortion tolerable in the input or output waveforms, and the tolerable loss of efficiency. Other limits such as elastic failure or cavitation at the radiating face are not considered in the present

analysis. The maximum driving field that may be used, based on these considerations, is designated E_{\max} for electric field transducers and B_{\max} for magnetic field transducers, and the corresponding electromagnetic stored energy is $(U_e)_{\max}$.

$$(U_e)_{\max} = \frac{1}{2} \epsilon^F E_{\max}^2 V$$

electric-field transducers

$$= \frac{1}{2} (\mu^F) B_{\max}^2 V$$

magnetic-field

where

ϵ^F = free* permittivity

μ^F = free* permeability


V = volume of active material.

Max. power at resonance: $P_M = \omega_r k^2 Q_M (U_e)_{\max}$

*free of external constraints but with an internal stress distribution characteristic of the mode.

Longitudinally-Vibrating Half-Wavelength Bar

The case considered is the resonant bar radiating into water from one end only, but contained in an array of closely packed bars so that its radiating impedance Z_r is $\rho_w c_w A_r$.



ρ_w = density of water

ρ = " " bar

c_w = sound velocity of water

c = " " " bar

A_r = radiating area of bar

$$Q_M = \frac{\pi}{2} \frac{\rho c}{\rho_w c_w}$$

for no internal dissipation.

$$l = \frac{c}{2f_r} = \frac{\pi c}{\omega_r}$$

$$V = l A_r = \frac{\pi c A_r}{\omega_r}$$

Relation between effective k and material k (k_m):

$$\frac{k^2}{1-k^2} = \frac{8}{\pi^2} \frac{k_m^2}{1-k_m^2}$$

ACCESSION NO.		
NTIS	White Section	<input checked="" type="checkbox"/>
DDC	Buff Section	<input type="checkbox"/>
UNANNOUNCED <input type="checkbox"/>		
JUSTIFICATION <i>see letter</i>		
<i>on file</i>		
BY.....		
DISTRIBUTION/AVAILABILITY CODES		
Dist. AVAIL. and/or SPECIAL		
A	23	CP

When the field is in the direction of \hat{z} : $E_m = k_3 z$

11 21 31 41 51 61 71 81 91 101 111 121 131 141 151 161 171 181 191 201 211 221 231 241 251 261 271 281 291 301 311 321 331 341 351 361 371 381 391 401 411 421 431 441 451 461 471 481 491 501 511 521 531 541 551 561 571 581 591 601 611 621 631 641 651 661 671 681 691 701 711 721 731 741 751 761 771 781 791 801 811 821 831 841 851 861 871 881 891 901 911 921 931 941 951 961 971 981 991 1001 1011 1021 1031 1041 1051 1061 1071 1081 1091 1101 1111 1121 1131 1141 1151 1161 1171 1181 1191 1201 1211 1221 1231 1241 1251 1261 1271 1281 1291 1301 1311 1321 1331 1341 1351 1361 1371 1381 1391 1401 1411 1421 1431 1441 1451 1461 1471 1481 1491 1501 1511 1521 1531 1541 1551 1561 1571 1581 1591 1601 1611 1621 1631 1641 1651 1661 1671 1681 1691 1701 1711 1721 1731 1741 1751 1761 1771 1781 1791 1801 1811 1821 1831 1841 1851 1861 1871 1881 1891 1901 1911 1921 1931 1941 1951 1961 1971 1981 1991 2001 2011 2021 2031 2041 2051 2061 2071 2081 2091 2101 2111 2121 2131 2141 2151 2161 2171 2181 2191 2201 2211 2221 2231 2241 2251 2261 2271 2281 2291 2301 2311 2321 2331 2341 2351 2361 2371 2381 2391 2401 2411 2421 2431 2441 2451 2461 2471 2481 2491 2501 2511 2521 2531 2541 2551 2561 2571 2581 2591 2601 2611 2621 2631 2641 2651 2661 2671 2681 2691 2701 2711 2721 2731 2741 2751 2761 2771 2781 2791 2801 2811 2821 2831 2841 2851 2861 2871 2881 2891 2901 2911 2921 2931 2941 2951 2961 2971 2981 2991 3001 3011 3021 3031 3041 3051 3061 3071 3081 3091 3101 3111 3121 3131 3141 3151 3161 3171 3181 3191 3201 3211 3221 3231 3241 3251 3261 3271 3281 3291 3301 3311 3321 3331 3341 3351 3361 3371 3381 3391 3401 3411 3421 3431 3441 3451 3461 3471 3481 3491 3501 3511 3521 3531 3541 3551 3561 3571 3581 3591 3601 3611 3621 3631 3641 3651 3661 3671 3681 3691 3701 3711 3721 3731 3741 3751 3761 3771 3781 3791 3801 3811 3821 3831 3841 3851 3861 3871 3881 3891 3901 3911 3921 3931 3941 3951 3961 3971 3981 3991 4001 4011 4021 4031 4041 4051 4061 4071 4081 4091 4101 4111 4121 4131 4141 4151 4161 4171 4181 4191 4201 4211 4221 4231 4241 4251 4261 4271 4281 4291 4301 4311 4321 4331 4341 4351 4361 4371 4381 4391 4401 4411 4421 4431 4441 4451 4461 4471 4481 4491 4501 4511 4521 4531 4541 4551 4561 4571 4581 4591 4601 4611 4621 4631 4641 4651 4661 4671 4681 4691 4701 4711 4721 4731 4741 4751 4761 4771 4781 4791 4801 4811 4821 4831 4841 4851 4861 4871 4881 4891 4901 4911 4921 4931 4941 4951 4961 4971 4981 4991 5001 5011 5021 5031 5041 5051 5061 5071 5081 5091 5101 5111 5121 5131 5141 5151 5161 5171 5181 5191 5201 5211 5221 5231 5241 5251 5261 5271 5281 5291 5301 5311 5321 5331 5341 5351 5361 5371 5381 5391 5401 5411 5421 5431 5441 5451 5461 5471 5481 5491 5501 5511 5521 5531 5541 5551 5561 5571 5581 5591 5601 5611 5621 5631 5641 5651 5661 5671 5681 5691 5701 5711 5721 5731 5741 5751 5761 5771 5781 5791 5801 5811 5821 5831 5841 5851 5861 5871 5881 5891 5901 5911 5921 5931 5941 5951 5961 5971 5981 5991 6001 6011 6021 6031 6041 6051 6061 6071 6081 6091 6101 6111 6121 6131 6141 6151 6161 6171 6181 6191 6201 6211 6221 6231 6241 6251 6261 6271 6281 6291 6301 6311 6321 6331 6341 6351 6361 6371 6381 6391 6401 6411 6421 6431 6441 6451 6461 6471 6481 6491 6501 6511 6521 6531 6541 6551 6561 6571 6581 6591 6601 6611 6621 6631 6641 6651 6661 6671 6681 6691 6701 6711 6721 6731 6741 6751 6761 6771 6781 6791 6801 6811 6821 6831 6841 6851 6861 6871 6881 6891 6901 6911 6921 6931 6941 6951 6961 6971 6981 6991 7001 7011 7021 7031 7041 7051 7061 7071 7081 7091 7101 7111 7121 7131 7141 7151 7161 7171 7181 7191 7201 7211 7221 7231 7241 7251 7261 7271 7281 7291 7301 7311 7321 7331 7341 7351 7361 7371 7381 7391 7401 7411 7421 7431 7441 7451 7461 7471 7481 7491 7501 7511 7521 7531 7541 7551 7561 7571 7581 7591 7601 7611 7621 7631 7641 7651 7661 7671 7681 7691 7701 7711 7721 7731 7741 7751 7761 7771 7781 7791 7801 7811 7821 7831 7841 7851 7861 7871 7881 7891 7901 7911 7921 7931 7941 7951 7961 7971 7981 7991 8001 8011 8021 8031 8041 8051 8061 8071 8081 8091 8101 8111 8121 8131 8141 8151 8161 8171 8181 8191 8201 8211 8221 8231 8241 8251 8261 8271 8281 8291 8301 8311 8321 8331 8341 8351 8361 8371 8381 8391 8401 84

For magnetostrictive bars, a low-reluctance magnetic return path must be provided in order to achieve the effective k given above.

If no mechanical power is dissipated within the transducer, the surface intensity of radiation will be: $I_s = P_M / A_r$

$$I_s = \frac{\pi^2 e^2 k^2 \epsilon^2 E_{\text{max}}^2}{4 \rho_v c_v}$$


electrostrictive bar

$$= \frac{\pi^2 \epsilon^2 k^2 B_{\max}^2}{4 \rho_w c_w \mu^2}$$

magnetostrictive bar

Radially-Resonant, Short, Thin Ring

The case considered is the ring which is sufficiently short and thin so that it vibrates with uniform radial velocity, yet has sufficient outside area, in contact with water, that its radiation impedance Z_r is $\rho_w c_w A_r$.



$$Q_M = \frac{b}{a} \frac{P_C}{P_W C_W} \quad \text{for no internal dissipation.}$$

$$\omega_r = \frac{c}{a} \quad V = bA_r \quad A_r = 2\pi ah$$

The effective k equals the material k .

For circumferential field: $k = k_{33}$

for radial or axial field: $k = k_{31}$ (To operate magnetostrictive rings in this manner, a low-reluctance magnetic return path would have to be provided.)

Assuming no mechanical power dissipation:

$$I_{\text{in}} = \frac{P_{\text{in}}}{A_r} = \frac{\rho c^2 k^2 \epsilon^F E_{\text{max}}^2}{2 \epsilon_w c_w} \left(\frac{b}{a}\right)^2$$

electrostrictive ring

$$= \frac{\rho C^2 k^2 B_{\max}^2}{2 \rho_w C_w \mu^F} \left(\frac{b}{a} \right)^2$$

magnetostrictive ring

Comparison of Ring and Half-Wavelength Bar

$$\frac{\left(\frac{P}{Q}\right)_{\text{bar}}}{\left(\frac{P}{Q}\right)_{\text{ring}}} = \frac{\pi^2 \left(\frac{a}{b}\right)^2}{2} \quad \text{for same material, same k, same driving field}$$

The intensity for the bar is typically two orders of magnitude greater than that for the ring. This is accounted for by two factors: (a) the Q_M of the bar is much greater than the Q_M of the ring; (b) the volume of active material per unit area of radiating surface is much greater for the bar than for the ring.

Mechanical Power Derived from Maximum Generated Stress

A different approach, which is often used, is to start with a calculation of the maximum stress which can be generated piezoelectrically or magnetostrictively (without excessive non-linearity). Normally the same assumptions are made as in the preceding general method, and identical results are produced. For example, a piezoelectric ring with radial field will generate a circumferential stress when the ring is blocked radially, which has the following value:

$$T_{\theta b} = \frac{d_{31}}{S_{11}^E} E_{\text{max}}$$

In transforming the circumferential stress to radial stress a step-down ratio (b/a) is effective; so the stress acting on the radial clamp is:

$$T_{rb} = \left(\frac{b}{a}\right) T_{\theta b} = \left(\frac{b}{a}\right) \frac{d_{31}}{S_{11}^E} E_{\text{max}}$$

At resonance this stress acts against the specific acoustic impedance of the water; thus:

$$P_s = -T_{rb} \quad I_s = \frac{1}{2} \frac{P_s^2}{\rho_w c_w} = \frac{1}{2} \frac{d_{31}^2 E_{\text{max}}^2}{(S_{11}^E)^2 \rho_w c_w} \left(\frac{b}{a}\right)^2$$

Since $d_{31}^2 / S_{11}^E = k_{31}^2 \epsilon_{23}^T$ and $1/S_{11}^E = \rho c^2$, this result is the same as that found by the previous approach.

Numerical Examples

BaTiO₃ + 5% CaTiO₃ Ceramic

If heating is avoided, a maximum driving field of 2500 volts/cm r.m.s. is generally considered practical. The remanent polarisation is weakened if much higher fields are used. Other properties:

$$\epsilon^E = 1800 \times 3.05 \times 10^{-12} \times \left(\frac{1}{1 - \frac{13}{18}} \right)$$

$$k_{33} = .45$$

$$d_{33} = 140 \times 10^{-12}$$

$$\rho = 5500$$

$$c = 4500$$

$$s_{33}^E = 6.98 \times 10^{-12}$$

Max. piezoelectric stress: $T_b = \frac{d_{33}}{s_{33}^E} E = 15.6E$

$$T_b = 5.5 \times 10^6 \text{ newt/m}^2 \text{ peak} = 730 \text{ p.s.i. peak}$$

Max. electromagnetic stored energy density:

$$(U_e)_{\text{max}} / V = \frac{1}{2} \epsilon^E E_{\text{max}}^2 = 640 \text{ joules/m}^3$$

Nickel, Soft-Annealed, with d.c. Polarization

Perhaps a peak driving flux density of 2000 gauss may be used before distortion and hysteresis loss become prohibitive, though definitive data on this point are still lacking. The average incremental permeability effective for this driving field can best be estimated by inspection of the major hysteresis loop. In this way it is seen that a change in magnetizing force of about 50 oersteds is needed to produce the total flux density change of 4000 gauss.

in c.m. units $\mu_{\Delta} = \frac{2 B_{\text{max}}}{\Delta H_+ + \Delta H_-} = \frac{4000}{50} = 80$

$$\mu_{33}^T = 80 \times 4\pi \times 10^{-7} = 1.01 \times 10^{-4}$$

$$k_{33} = .30 \quad s_{33}^B = \left(\frac{\partial s_{33}}{\partial B_0} \right)_{T=0} = 6.87 \times 10^{-5}$$

$$\rho = 8800 \quad c = 4860 \quad s_{33}^B = 4.81 \times 10^{-12}$$

Max. magnetostrictive stress: $T_b = \frac{s_{33}^B}{s_{33}^B} B = 1.43 \times 10^7$

$$T_b = 2.86 \times 10^6 \text{ newt/m}^2 \text{ peak} = 415 \text{ p.s.i. peak}$$

Max. electromagnetic stored energy density:

$$(U_e)_{\text{max}} / V = \frac{1}{2} (\mu^F) B_{\text{max}}^2 = 198 \text{ joules/m}^3$$

Calculated Maximum Surface Intensity

barium titanate $\gamma/2$ bar, $k = .412$
barium titanate striped ring, $a/b = 5$, $k = .35$
nickel $\gamma/2$ bar, $k = .272$
nickel ring, $a/b = 5$, $k = .30$

I_B		
4000 Watts/cm ²		
22	"	"
1000	"	"
8.2	"	"

Comments on Results

The intensities calculated in these examples seem unrealistically high; so the various assumptions must be examined. In the case of the barium titanate bar, the assumption of field-limiting is violated, for it is found that the maximum stress exceeds the strength of the ceramic by at least a factor of two. The intensity for this element should then be reduced at least by a factor of four.

The general assumption of no mechanical power dissipation within the transducer is of course not valid; so the total power must be multiplied by the mechano-acoustical efficiency η_{ma} to obtain the radiated power. Actually, the intensity is reduced by the factor η_{ma}^2 from that calculated above, because not only the power but also the original Q_M must be multiplied by η_{ma} when mechanical losses are introduced. In practice, then, the intensity would be lower than that calculated above by a factor of 3 or 4 on account of mechanical dissipation.

When these corrections have been applied the resulting intensities should still be viewed as optimistic, because they are based on values of the transducer parameters measured at low level. The actual non-linearity will very likely act to reduce the power generated. Despite these reservations the methods described above are useful as a guide in preliminary transducer design, or in preliminary comparison of active materials.

R. S. Woollett
R. S. WOOLLETT
Physicist